

0050833

a division of Recra Environmental, Inc.

Virtual Laboratories Everywhere

Recra LabNet Philadelphia Analytical Report

Client: TNU-HANFORD C99-015

RFW#: 9901L897

SDG/SAF #: H0333/ C99-015

W.O. #: 10985-001-001-9999-00

Date Received: 01-15-99

GC/MS VOLATILE

Two (2) water samples were collected on 01-13-99.

The samples and their associated QC samples were analyzed according to criteria set forth in Recra OPs based on SW 846 Method 8260A for TCL Volatile target compounds on 01-22-99.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- 1. The cooler temperature upon receipt has been recorded on the chain-of-custody.
- 2. The required analysis holding time was met
- 3. Non-target compounds were detected in sample B0TFV5.
- 4. All surrogate recoveries were within EPA QC limits.
- 5. All matrix spike recoveries were within EPA QC limits.
- 6. All blank spike recoveries were within EPA QC limits.

7. The method blank contained the common laboratory contaminants Methylene Chloride and Acetone at levels less than the CRQL. The method blank also contained the target compound Chloromethane at a level less than the CRQL.

J. Michael Taylor

Vice President

Philadelphia Analytical Laboratory

som\group\data\ voa tnu01897.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 10 pages.

12 057 2/4/99

(2)-(\$'(1) Date

001

GLOSSARY OF VOA DATA

DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- I = Interference.
- NQ = Result qualitatively confirmed but not able to quantify.
- Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Additional qualifiers used as required are explained in the case narrative.

mmz-10-94-gloss voa



. 2

GLOSSARY OF VOA DATA

ABBREVIATIONS

BS = Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions and carried through all the steps in the method. Spike recoveries are reported.

BSD = Indicates blank spike duplicate.

MS = Indicates matrix spike.

MSD = Indicates matrix spike duplicate.

DL = Suffix added to sample number to indicate that results are from a diluted analysis.

NA = Not Applicable.

DF = Dilution Factor.

NR = Not Required.

SP, Z = indicates Spiked Compound.

mmz:10-94-gloss voa



3

Report Date: 02/02/99 10:10

Recra LabNet - Lionville Laboratory

Volatiles by GC/MS, HSL List

RFW Batch Number: 9901L897 Client: TNU-HANFORD C99-015 Work Order: 10985001001 Page: 1a

Note	Cu	st ID:	BOTDP4		BOTDP4		B0TDP4		BOTFV5		VBLKRV		VBLKRV BS	
D. F. 1.00	•										· -	ıв1		в1
Note	Information M			0		^		0		0				
Toluene-d8								_						
Surrogate Bromofluorobenzene 97 \$ 96 \$ 97 \$ 95 \$ 90 \$ 101 \$ \$ \$ \$ \$ \$ \$ \$ \$		Units:	OG/T		UG/L		06/15		UG/L		UG/1	ı	UG/ L	,
Surrogate Bromofluorobenzene 97 \$ 96 \$ 97 \$ 95 \$ 90 \$ 101 \$ \$ \$ \$ \$ \$ \$ \$ \$	Tolu	ene-d8	100	%	97		98	- 	98	%	103	o\o	100	%
Recovery 1,2-Dichloroethane-d4 110 \$			97		96		97	%	95		90		101	%
Chloromethane	_			ek S	110		110	%	111	%	106	%	110	%
Bromomethane					========		=======================================	=f1==					========	== f l
Bromomethane	Chloromethane		10	U	10	U	10	U	2	JB	0.4	J	10	U
Chloroethane 10 U 4 BJ 1 J 3 JB Acetone 10 U 10 U 10 U 4 BJ 2 J 2 JB Carbon Disulfide 5 U 5 <td< td=""><td></td><td></td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td></td<>			10	U	10	U	10	U	10	U	10	U	10	U
Chloroethane 10 U 4 BJ 1 J 3 JB Acetone 10 U 10 U 10 U 4 BJ 2 J 2 JB Carbon Disulfide 5 U 5 <td< td=""><td></td><td></td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td><td>10</td><td>U</td></td<>			10	U	10	U	10	U	10	U	10	U	10	U
Methylene Chloride 10 U 10 U 10 U 10 U 10 U 4 BJ 2 J 3 JB Carbon Disulfide 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 96 % 1,1-Dichloroethane 5 U 5 U 5 U 5 U 5 U 96 % 1,1-Dichloroethane 5 U	and the contract of the contra		10	U	10	U	10	U	10	U	10	U	10	U
Acetone 10 U 10 U 4 BJ 2 J 2 JB Carbon Disulfide 5 U 5 </td <td>Methylene Chloride</td> <td></td> <td>2</td> <td>JB</td> <td>2</td> <td>ВJ</td> <td>2</td> <td>BJ</td> <td>4</td> <td>ВJ</td> <td>1</td> <td>J</td> <td>3</td> <td>JВ</td>	Methylene Chloride		2	JB	2	ВJ	2	BJ	4	ВJ	1	J	3	JВ
Carbon Disulfide 5 U 5			10	U	10	U	10	U	4	BJ	2	J	2	JB
1,1-Dichloroethane	Carbon Disulfide		5	U	5	U	5	U	5	U	5	U	5	U
1,1-Dichloroethane	1,1-Dichloroethene		5	U	87	8	87	e _k	5	U	5	U	96	8
1,2-Dichloroethene (total)	1,1-Dichloroethane		5	U	5	U	5	Ω :	5	U	5	U	5	U
1,2-Dichloroethane 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 10 U	1,2-Dichloroethene (total)		5	U	5	U	5	U	5	U	5	U	5	U
1,2-Dichloroethane	Chloroform_		3	J	3	J	3	J	5	U	5	U	5	U
1,1,1-Trichloroethane 5 U 5			5	IJ	5	U	5	U	5	U	5	U	5	U
1,1,1-Trichloroethane 5 U 5	2-Butanone		10	U	10	U	10	U	10	IJ	10	U	10	U
Carbon Tetrachloride 31 25 28 5 U	1,1,1-Trichloroethane		5	U	5	U	5	U	5	U	5	U	5	IJ
1,2-Dichloropropane 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 93 % Dibromochloromethane 5 U 5 U 5 U 5 U 5 U 5 U 93 % Dibromochloromethane 5 U <t< td=""><td>Carbon Tetrachloride</td><td></td><td>31</td><td></td><td>25</td><td></td><td>28</td><td>:</td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>U</td></t<>	Carbon Tetrachloride		31		25		28	:	5	U	5	U	5	U
1,2-Dichloropropane 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 93 % Dibromochloromethane 5 U 5 U 5 U 5 U 5 U 5 U 93 % Dibromochloromethane 5 U <t< td=""><td>Bromodichloromethane</td><td></td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>$\mathbf{\Omega}_{+}$</td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>U</td></t<>	Bromodichloromethane		5	U	5	U	5	$\mathbf{\Omega}_{+}$	5	U	5	U	5	U
Trichloroethene 1 J 90 % 88 % 5 U 5 U 93 % Dibromochloromethane 5 U <t< td=""><td>1,2-Dichloropropane</td><td></td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>Ū</td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>U</td></t<>	1,2-Dichloropropane		5	U	5	U	5	Ū	5	U	5	U	5	U
Dibromochloromethane 5 U 10 U 10 U 10	cis-1,3-Dichloropropene		5	U	5	Ŭ	5	U	5	U	5	U	5	U
Dibromochloromethane 5 U 10 U 10 U 10	Trichloroethene		1	J	90	%	88	%	5	U	, 5	U	93	%
Benzene 5 U 99 % 97 % 5 U 5 U 100 % Trans-1,3-Dichloropropene 5 U	Dibromochloromethane		5	U	5	U	5	υ.	5	U	5	U	5	U
Trans-1,3-Dichloropropene 5 U 10 U 5 U 5 U 5 U 5 U 5 U 5 U	1,1,2-Trichloroethane		5	U	5	U	5	U. ʻ	5	U	5	U	5	U
Bromoform 5 U 5	Benzene		5	U	99	8	97	% ′	5	U	5	U	100	ક
Bromoform 5 U 5	Trans-1,3-Dichloropropene_		5	IJ	5	IJ	5	U	5	U	5	IJ	5	IJ
4-Methyl-2-pentanone 10 U 10 U <td< td=""><td></td><td></td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>U</td><td>5</td><td>IJ</td></td<>			5	U	5	U	5	U	5	U	5	U	5	IJ
2-Hexanone 10 U 5	4-Methyl-2-pentanone		10	U	10	U	10	U	10	IJ	10	U	10	U
Tetrachloroethene5U 5U 5U 5U 5U	2-Hexanone		10	U	10	U	10	U	10	IJ	10	U	10	U
1,1,2,2-Tetrachloroethane 5 U 5 U 5 U 5 U 5 U	Tetrachloroethene		5	U	5	U	5	U	5	IJ	5	U	5	U
	1,1,2,2-Tetrachloroethane_		5	U	5	U	5	U	5	U	5	U	5	U
Toluene 5 U 95 % 93 % 5 U 5 U 97 %	Toluene			U	95	ક	93	3/5	5	U	5	U	97	00

^{*=} Outside of EPA CLP QC limits.

RFW Batch Number:	9901L897	Client:	TNU-	HANFORD	C99-01	5	Work O	rder	: 109850010)1	Page:	1b			L!	C
	Cust	ID: B	OTDP4	l.	BOTDP4		BOTDP4		B0TFV5	V	BLKRV			VBLKRV BS		
	RF	W#:	001	L	001 MS	1	001 MSD		002	9	9LVN010) - ME	1	99LVN010-M	в1	
Chlorobenzene			5	U	94	ot .	90	%	5			5	U	94	%	-
Ethylbenzene			5	U	5	U	5	U	5	J		5	U	5	U	
Styrene			5	U	5	U	5	U	5	J		5	U	5	U	
Xylene (total)			5	ប	5	U	5	U	5	J		5	U	5	U	

^{*=} Outside of EPA CLP QC limits.

1E

VOLATILE ORGANICS ANALYSIS SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA	SAMPLE	NO.
1	·	
BOTDE	24	

	BOTDP4
Lab Name: Recra.LabNet Contract: 109	985001001
Lab Code: Recra Case No.:	SAS No.: SDG No.:
Matrix: (soil/water) WATER	Lab Sample ID: 9901L897-001
Sample wt/vol: 5.00 (g/mL) ML	Lab File ID: <u>n012207</u>
Level: (low/med) LOW	Date Received: <u>01/15/99</u>
% Moisture: not dec	Date Analyzed: 01/22/99
Column: (pack/cap) <u>CAP</u>	Dilution Factor: 1.00
	NCENTRATION UNITS: g/L or ug/Kg) <u>UG/L</u>
CAS NUMBER COMPOUND NAME	PT FST CONC O

1 E

VOLATILE ORGANICS ANALYSIS SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA	SAMPLE	NO.
Bomm	, C	

Lab Name: Recra.LabNet Contract: 10985	001001	
Lab Code: Recra Case No.:	SAS No.: SDG No.:	
Matrix: (soil/water) WATER	Lab Sample ID: 9901L897-002	
Sample wt/vol: 5.00 (g/mL) ML	Lab File ID: n012210	
Level: (low/med) <u>LOW</u>	Date Received: 01/15/99	
k Moisture: not dec	Date Analyzed: 01/22/99	
Column: (pack/cap) <u>CAP</u>	Dilution Factor: 1.00	

CONCENTRATION UNITS:

Number TICs found: 3

(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
=======================================		======	=======================================	== ==
1. 67630	ISOPROPYL ALCOHOL	8.440	5	NJ
2.	SILANE	9.030	40	J
3. 1066406	SILANOL, TRIMETHYL-	11.372	10	NJ

Recra LabNet - Lionville Laboratory VOA ANALYTICAL DATA PACKAGE FOR TNU-HANFORD C99-015

DATE RECEIVED: 01/15/99 RFW LOT # :9901L897

CLIENT ID	RFW #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
BOTDP4	001	M	99LVN010	01/13/99	N/A	01/22/99
BOTDP4	001 MS	W	99LVN010	01/13/99	N/A	01/22/99
BOTDP4	001 MSD	W	99LVN010	01/13/99	N/A	01/22/99
BOTFV5	002	W	9 9LVN010	01/13/99	N/A	01/22/99
LAB QC:						
<u> </u>						
VBLKRV	MB1	W	99LVN010	N/A	N/A	01/22/99
VBLKRV	MB1 BS	W	99LVN010	N/A	N/A	01/22/99

-

4901L897

Custody Transfer Record/Lab Work Request Page ___of___

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS



	<u> </u>		• • •	IELD FERS	OMMEL:	JUNIE	'LEIE	UNL1 3	HAUED	AHE	45												•	\
Client IN	u-	Hanfor	d C	99-015			Retrige	rator#								\Box						T		7
Est. Final Pro)j. Samr	pling Date					#/Type	Container	Liquid	309														
Project # _/_	<u> 2985</u>	pling Date 5- <i>010 -070 -</i>	<u>-9999 -</u>	-00		}	Solid			<u> </u>														
Project Conta	act/Phor	ne#		···			Volume	ð	Liquid	40	<u> </u>	 	<u> </u>						<u> </u>					
RECRA Projec	ct Man <i>i</i>	ager <u>03</u>					<u> </u>		Solid	 	ļ	 _	<u> </u>										<u> </u>	<u> </u>
oc spec		Del ATU	TAT	30	day	!	Preserv	ratives	—	HU	OBG	ANIO			$\vdash \vdash$		INORG					 	<u> </u>	
OC SPEC Del ATO TAT 30 day Date Rec'd 1/15/99 Date Due 2/14/99 Account #					ANALY: REQUE	SES	-	VO A	+	Pest/ PCB	Herb				Metai	NG Z								
MATRIX					Me	etrix	 	1				<u>ــــــــــــــــــــــــــــــــــــ</u>	1		REC	RA La		Use (Only	الللا	+			
CODES:	Lab		!!! ID/D	-4-41 <u></u>	j o	osen	\$4 a b d s	Date	Time	\ \												$\overline{1}$		
S - Soil SE - Sediment	ID	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	lient ID/Descri	Iption		(1)	Metrix	Collected		Care 4												₁ 1	1 '	'
SO - Solid SL - Sludge	<u> </u>					MSD	<u> </u>	<u> </u>	<u> </u>	8	<u> </u>								<u> </u>				<u> </u>	<u> </u>
W - Water O - Oil		BOTDP			<i>X</i> _	X	w	1/13/49	0834	/_	<u> </u>													
	002	BOTFV	15		'	<u> '</u>	ω .	1	0730	1	<u> </u>		<u> </u>											
Solids DL - Drum	<u> </u>					<u> </u>	<u> </u>	<u> </u>		↓	<u> </u>		<u> </u>						<u> </u>					
L - EP/TCLP	<u> </u>	<u> </u>				<u> </u>	<u> </u>	<u> </u>				- 1							<u> </u>				'	
WI - Wipe						 '	 	<u> </u>		 	$oxed{igspace}$	<u> </u>	<u> </u>						<u> </u>					
X - Other F - Fish						↓ ′	<u> </u>	<u> </u>		↓	<u> </u>	<u> </u>	<u> </u>							<u> </u>		'		
	<u></u>		~		'	 '	<u> </u>	<u> </u>		 		igsqcup							<u> </u>	<u> </u>		<u> </u>		
		 				↓ ′	<u> </u>	<u> </u> '	<u> </u>		<u> </u>	<u> </u>	<u> </u>					<u> </u>		$oldsymbol{ol}}}}}}}}}}}}}}}}}$		<u> </u>	<u> </u>	<u> </u>
<u> </u>		ļ				 '	<u> </u>	<u> </u>	ļ	<u> </u>	ļ	<u> </u>	<u> </u>		\sqcup				<u> </u>			<u> </u>		
	<u> </u>				'	'		<u> </u>			<u></u>	<u> </u>	<u> </u>					<u> </u>	<u> </u>		!	<u> </u>	'	
Special Instruct		20				DATE	/REVISION	1 3:											REC	RA Le	bNet Us	se Only	<i>;</i>	
sag#	: (10	19-015						1	•								Sa	amples Shippe	were:/	~~		OC Tape		
sda #	H	クろろろ						2					<u> </u>				Ha	and Deli	livered .		Pad	ickag é	o leo o Ou Y)or	N
0	• - •							3				•					Air	rbill # 🗟	* _				ken on C	
	_	···						4							·		2)	Ambier	nt of CI	hilled	3)	Present	Y) or nt on Sau	ample
		OMPOSITE	;					5							 -			Receive Apolitical					(Y) or	r N
		WASTE			<i>\$</i> 4		- 1.1	- A.A.	. A.A	. 4	4							Labels				Unbroki Imple Y		N
Relinquished		Received	Date	Time	Reling	an de	211	THE PE		2000)	Tin		Disc	epanci	es Betwe	een	_] Pro	operty F	Y				ord Pres	
by L		by	 	├ ──┤├	bye	Ø 0	1::	31 B/a 2	Samples Labels and 5) Received Within					7.3	ecit r N									
Jodes		Soler	1115/99	1500			MI	AIT	NOTES: Yor N Tamp 4.2					4.2	- 'C									
		-	1 . /			-	-		X8082A715U540					•	Ü									

PNNL	G	人	,		CHAIN OF	CUSTODY	/SAMPLE	ANALY	YSIS RE(QUEST			C99-015-40
Collector					Contact/N	equester			Teler	phone No.	MSIN	Page FAX	
	CX				JH KES Sampling					9) 372-9538	Codo		· · · · · · · · · · · · · · · · · · ·
SAF No. C99-015					HANPO	RD SITE	275			hase Order/Char			
Project Title				-	Logbook !	WM. 5011-	1200 22		Ice C	heat No. SMC.	160	Temp. 4 c	
200-UP1 IAM G Shipped To (Lab)	W. JANUAR	Y 1999			Method of	Shipment		 	Billo	f Ladine/Air Bit	l No.		
TMA/RECRA					GOYT	VEHICLE				f Lading/Air Bil	42-3	57957	21480
Protocol CERCLA					Data Turu 45 Day				Offsi	te Property No.			
POSSIBLE SAMP	LE HAZARI	OS/REI	MARKS				SPECIAL INST FAX copies of TA	RUCTIONS AA & QES log-in	Hold Time n to DL Stewart (372	: !-1704) & JM Dunca	Total Activi in (372-9052).	ity Exemption:	Yes 🖾 No 🛄
Sample No.	LabiD	1.	Date	Time	No/Type Container			San	nple Analysis				Preservative
B0TFV5		W	1.13.44	0730	3x40-mL aGs*	VOA - 8240A (TCL)			<u> </u>			<u> </u>	HCl or H2SO4 to pH <2 Cool 4C
B0TFV5	 	W	1-13-14	0730	1x20-mL P	Activity Scan							None
			7										
Relinquished By	Prince		Sign		Date/Time	Received By	Print	Sign		Date/Time		Matri	х *
Reinquished By FEREX	\) -	<i>></i>	1-14-9	4444	Received By		0850		13-77 Date/Time 199 11:32	SO = 5 SL = 5 W = 7	Sediment Solid Sludge Water	DS = Drim Solid DL = Drim Liqui T = Tissue WL = Wine Liquid
Reimpurber By	'Tn'	(1)	1 0,	1 14		Roceived By Roceived By	<u> </u>		1-14-9	Date/Time Date/Time	↑		V = Veretation X = Other
				00	1-0		Tool	<i>1</i> /5_	1/15/9	19 150	0		
FINAL SAMPLI DISPOSITION	~ , .	Method	(e.g., Return to		lab procedure, used in proc	ccss)		Disposed By				Date/Ting	

			_							C.O.C. #	
PNNL				CHAIN OF	CUSTODY	/SAMPL	E ANALYS:	IS REQUEST			C99-015-1
		[HU33	3			Page	1 of 1
Collector RR FOX (afs)	•		Contact/R				Telephone No.	MSIN	FAX	
SAF No.			 -	JH KES Sampling	Orlgin				rge Code		
C99-015 Project Title		· · · · · · · · · · · · · · · · · · ·		HANET	ORD SITE			i i		Names .	
200-UPLIAM GW. JANI	ARY 199	9			CJ11. SINL	- H 72		Ice Chest No. SALL			
Shipped To (Lab) TMA/RECRA					Shipment VEHICLE			Bill of Lading/Air Bi	^{∥№.} 423	5795	51489
Protocol CERCLA				Data Turi 45 Day	around			Offsite Property No.			
POSSIBLE SAMPLE HAZ	A RDS/RE	EMARKS					STRUCTIONS TMA & QES log-in to D	Hold Time I. Stewart (372-1704) & JM Dunce	Total Activity sn (372-9052).	Exemption:	Yes 🖾 No 🛚
Sample No. Lab I	D .	Date	Time	No/Type Container			Sample	Analysis			Preservative
BOTDP4	W	1.1344	0876	3x40-mL aGs*	VOA - 8240A (TCL)						HCl or H2SO4 to pH <2 Cool 4C
BOTDP4	W	1		1x20-mL P	Activity Scan						None
BOTDP4	w	1		1x1000-mL G/P	Technetium-99	-			·		HCI to pH <2
8010P4	w	1	1	1x125-mL G/P	Total Uranium						HNO3 to pH <2
Relinquished By RR FOX (RFS) Relinquished By		Sign	JAN 1	Date/Time 3 1999 Date/Time	Received By		Sign	Date/Time	S = Soi SE = So SO = Soi	diment	DS ≠ Drum Soli DL ≠ Drum Liou T ≠ Tissue
Fed Ex Relimpushed by Participant	R C	CNSC	1-14-9	Duc/Time (4 16730)	Med Ex			1+14-99 11338 Date/Time 14-99 16:3	SI = Siu W = Wi O = Oil A = Air	idec Ner I	WI = Wine I. = Liouid V = Vegetation X = Other
Heimpusted By			. 1	Date/Inne	Received By	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-1.1	Date/Time	15/71		
FINAL SAMPLE Disp	osal Method	(e.g., Return to		ab procedure, used in pro-	cess)	1010	Disposed By	1/15/99	150U	Date/Time	
DISPOSITION											

Case Narrative

1.0 GENERAL

Bechtel Hanford Inc. Sample Delivery Group H0333 is comprised of a single liquid (water) sample designated under SAF No. C99-015 with a Project Designation of: 200-UP1 IAM GW January 1999.

The samples were received as stated on the Chain-of-Custody documents.

2.0 ANALYSIS NOTES

2.1 Technetium-99 Analyses

Positive Tc-99 activity was detected in the sample, however since the activity was less than the RDL and much less than the activity detected in sample B0TDP4 the activity of the blank is not a problem.

2.2 Total Uranium Analyses

The sample MDA was greater than the RDL, however, since positive uranium mass much greater than the MDA or RDL was detected in the sample the elevated MDA is not a problem.



SAMPLE DELIVERY GROUP H0333

SDG	7081		
Contact	L.A.	Johnson	

SAMPLE SUMMARY

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

CLIENT SAMPLE ID	LOCATION	MATRIX LEVEL	LAB SAMPLE ID	SAF NO	CHAIN OF CUSTODY	COLLECTED
BOTDP4	HANFORD SITE	WATER	N901042-01	C99-015	C99-015-13	01/13/99 08:36
Method Blank		WATER	N901042-03	C99-015		
Lab Control Sample		WATER	N901042-02	C99-015		
Duplicate (N901042-01)	HANFORD SITE	WATER	N901042-04	C99-015		01/13/99 08:36

SAMPLE SUMMARY
Page 1
SUMMARY DATA SECTION

Page 3

Lab id TMANC
Protocol Hanford

Version Ver 1.0
Form DVD-CS

Version 3.06

Report date 02/16/99

SAMPLE DELIVERY GROUP H0333

SDG	7081	
Contact	L.A.	Johnson

QC SUMMARY

Client <u>Hanford</u>

Contract <u>TRB-SBB-207925</u>

Case no <u>SDG-H0333</u>

QC BATCH	CHAIN OF CUSTODY	CLIENT SAMPLE ID	MATRIX S	-	SAMPLE AMOUNT	BASIS AMOUNT	DAYS S		LAB SAMPLE ID	DEPARTMENT SAMPLE ID
7081	C99-015-13	BOTDP4	WATER				01/14/99	1	N901042-01	7081-001
		Method Blank	WATER						N901042-03	7081-003
		Lab Control Sample	WATER						N901042-02	7081-002
		Duplicate (N901042-01)	WATER				01/14/99	1	N901042-04	7081-004

QC SUMMARY
Page 1
SUMMARY DATA SECTION
Page 4

 Lab id
 TMANC

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-QS

 Version
 3.06

 Report date
 02/16/99

SAMPLE DELIVERY GROUP H0333

SDG	7081
Contact	L.A. Johnson

PREP BATCH SUMMARY

Client	Hanford
Contract	TRB-SBB-207925
Case no	SDG-H0333

TEST	MATRIX	METHOD	PREPARATION BATCH	V ERROR 2σ %	CLIENT	MORE	PLA	NCHETS .	ANALYZ LCS	DUP/ORIG MS/ORIG	QUALI- FIERS
Beta TC	Counting WATER	Technetium 99 in Water	2857-138	10.0	1			1	1	1/1	
Kinet	ic Phospho	orimetry Uranium, Total in Water	2857-138	9.0	1			1	1	1/1	

Duplicates and Matrix Spikes are those with original (Client) sample in this Sample Delivery Group.

Blank and LCS planchets are those in the same preparation batch as some Client, Duplicate or Spike sample.

PREP BATCH SUMMARY
Page 1
SUMMARY DATA SECTION
Page 5

SAMPLE DELIVERY GROUP H0333

SDG 7081

Contact L.A. Johnson

WORK SUMMARY

Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0333

CLIENT SAMPLE	ID		LAB SAMPLE II	LAB SAMPLE ID								
LOCATION CUSTODY	SAF No	MATRIX	COLLECTED RECEIVED	PLANCHET	TEST	SUF- FIX	ANALYZED	REVIEWED	вч	METHOD		
BOTDP4	<u> </u>		N901042-01	7081-001	TC		02/06/99	02/17/99	DER	Technetium 99 in Water		
HANFORD SITE		WATER	01/13/99	7081-001	U_T		02/04/99	02/17/99	DER	Uranium, Total in Water		
C99-015-13	C99-015		01/14/99									
Method Blank			N901042-33	7081-003	тс		02/06/99	02/17/99	DER	Technetium 99 in Water		
		WATER		7081-003	U_T		02/04/99	02/17/99	DER	Uranium, Total in Water		
	C99-015											
Lab Control Sa	mple		N901042-02	7081-002	TC		02/06/99	02/17/99	DER	Technetium 99 in Water		
		WATER		7081-002	U_T		02/04/99	02/17/99	DER	Uranium, Total in Water		
	C99-015											
Duplicate (N90	1042-01)		N901042-04	7081-004	TC		02/06/99	02/17/99	DER	Technetium 99 in Water		
HANFORD SITE		WATER	01/13/99	7081-004	U_T		02/04/99	02/17/99	DER	Uranium, Total in Water		
	C99-015		01/14/99									

TEST	SAF No	COUNTS	OF TESTS REFERENCE	BY S	CLIENT MORE	RE BLANK	LCS	DUP SPIKE	TOTAL
TC U_T	C99-015 C99-015	Technetium 99 in Water Uranium, Total in Water	TC99TRLSC UKP A	, ,	1	1	1	1	4
TOTALS					2	2	2	2	8

WORK SUMMARY

Page 1

SUMMARY DATA SECTION

Page 6

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-CWS

Version 3.06

Report date 02/16/99

N901042-03

METHOD BLANK

Method Blank

	SDG <u>7081</u>	Client	/Case no <u>H</u> a	lanford :	SDG-H0333
i	Contact <u>L.A.</u>	. Johnson	Case no <u>Tl</u>	RB-SBB-207925	
	Lab sample id <u>N901</u>	1042-03 Client s	ample id <u>M</u> e	Method Blank	
	Dept sample id <u>7081</u>	1-003 Materia	l/Matrix _		WATER
			SAF No C	199-015	

ANALYTE	NALYTE CAS NO		2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Technetium 99 Total Uranium (ug/L)	14133-76-7 7440-61-1	<u>11.7</u> 0	1.4	2.7 0.006	15 0.10	J U	TC U_T

200-UP1 IAM GW JANUARY 1999

QC-BLANK 30018

METHOD BLANKS

Page 1

SUMMARY DATA SECTION

Page 7

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-DS
Version 3.06
Report date 02/16/99

SAMPLE DELIVERY GROUP H0333

N901042-02

LAB CONTROL SAMPLE

Lab Control Sample

SDG 7081 Contact L.A. Johnson	Client/Case no <u>Hanford</u> <u>SDG-H0333</u> Case no <u>TRB-SBB-207925</u>
Lab sample id <u>N901042-02</u> Dept sample id <u>7081-002</u>	Client sample id <u>Lab Control Sample</u>

ANALYTE	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST	ADDED pCi/L	2σ ERR pCi/L	REC	3σ LMTS (TOTAL)	PROTOCOL LIMITS
Technetium 99 Total Uranium (ug/L)	336 88.0	8.8	2.8 0.065	15 0.10	В	тс u_т	327 82.5	13 3.3	103 107	83-117 67-133	80-120 80-120

200-UP1 IAM GW JANUARY 1999

QC-LCS 30017

LAB CONTROL SAMPLES
Page 1
SUMMARY DATA SECTION
Page 8

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-LCS

Version 3.06

Report date 02/16/99

SAMPLE DELIVERY GROUP H0333

DUPLICATE

B0TDP4

SDG	7081			Client/Case no	Hanford	SDG-H0333
Contact]	L.A. Johnson			Case no	TRB-SBB-207925	
1	OUPLICATE	ORI	GINAL			
Lab sample id]	N901042-04 La	b sample id <u>N90</u>	1042-01	Client sample id	BOTDP4	
Dept sample id [7081-004 Der	t sample id 708	1-001	Location/Matrix	HANFORD SITE	WATER
		Received <u>01/</u>	14/99	Collected	01/13/99 08:36	
				Custody/SAF No	C99-015-13	<u>C99-015</u>

ANALYTE	DUPLICATE pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST	ORIGINAL pCi/L	2σ ERR (COUNT)	MDA pCi/L	QUALI-	RPD	3σ PROT
Technetium 99 Total Uranium (ug/L)	29000 952	230 180	0.65	15 0.10	В	TC U_T	28900 952	220 180	15 0.65	В	0 0	21 44

200-UP1 IAM GW JANUARY 1999

N901042-04

QC-DUP#1	30019			

DUPLICATES
Page 1
SUMMARY DATA SECTION
Fage 9

Lab id TMANC
Protocol Hanford

Version Ver 1.0
Porm DVD-DUP
Version 3.06

Report date 02/16/99

N901042-01

DATA SHEET

B0TDP4

SDG	7081	Client/Case no	Hanford Hanford	SDG	-H0333
Contact	L.A. Johnson	Case no	TRB-SBB-207925		
Lab sample id	N901042-01	Client sample id	BOTDP4		
Dept sample id	7081-001	Location/Matrix	HANFORD SITE		WATER
Received	01/14/99	Collected	01/13/99 08:36		
		Custody/SAF No	<u>C99-015-13</u>	<u>C99-015</u>	

ANALYTE	CAS NO	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Technetium 99 Total Uranium (ug/L)	14133-76-7 7440-61-1	28900 952	220 180	15 0.65	15	В	TC U_T

200-UP1 IAM GW JANUARY 1999

DATA SHEETS

Page 1

SUMMARY DATA SECTION

Page 10

 Lab id
 TMANC

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-DS

 Version
 3.06

 Report date
 02/16/99

SAMPLE DELIVERY GROUP H0333

Test <u>TC</u> Matrix <u>WATER</u>

SDG <u>7081</u>

Contact <u>L.A. Johnson</u>

METHOD SUMMARY

TECHNETIUM 99 IN WATER BETA COUNTING Client <u>Hanford</u>

Contract TRB-SBB-207925

Case no SDG-H0333

RESULTS

	LAB	RAW SUF-		Technetium		
CLIENT SAMPLE ID	SAMPLE ID	TEST FIX	PLANCHET	99		
Preparation batch 2857-	138				<u>. </u>	
BOTDP4	N901042-01		7081-001	28900		
BLK (QC ID=30018)	N901042-03		7081-003	<u>11.7</u> J		
LCS (QC ID=30017)	N901042-02		7081-002	ok		
Duplicate (N901042-01)	N901042-04		7081-004	ok		

METHOD PERFORMANCE

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW TEST		MDA pCi/L		PREP FAC		YIELD	eff *				PREPARED	ANAL- YZED	DETECTOR
Preparation batch 2857-1	38 2ø pr	ep er	ror 10.	0 %	Reference	Lab	Noteboo	ok #285	57 pg	g. 138					
B0TDP4	N901042-01			15	0.0500			53		101		24	02/03/99	02/06	GRB-201
BLK (QC ID=30018)	N901042-03			2.7	0.200			64		101			02/03/99	02/06	GRB-203
LCS (QC ID=30017)	N901042-02			2.8	0.200			67		101			02/03/99	02/06	GRB-202
Duplicate (N901042-01) (QC ID=30019)	N901042-04		-	17	0.0500			45		101		24	02/03/99	02/06	GRB-204
Nominal values and limit	s from metho	d		15	0.200	•		20-105	<u> </u>	50		180			

İ	PROCEDURES	REFERENCE	TC99TRLSC
		EP-020	Sample Leach For Technetium-99, rev 0
		EP-540	Technetium-99 Purification, rev 0

AVERAGES ± 2 SD	MDA	9.4	±	1,5
FOR 4 SAMPLES	YIELD	57	±	20

METHOD SUMMARIES
Page 1
SUMMARY DATA SECTION

Page 11

Lab id TMANC
Protocol Hanford

Version Ver 1.0
Form DVD-CMS
Version 3.06

Report date 02/16/99

SAMPLE DELIVERY GROUP H0333

Test	<u>u r</u>	Matrix	WATER
SDG	7081		
Contact	L.A.	Johnsor	1

METHOD SUMMARY

URANIUM, TOTAL IN WATER
KINETIC PHOSPHORIMETRY

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0333

RESULTS

CLIPPE CAMOUR TO	LAB	RAW SUF-	Total		
CLIENT SAMPLE ID	SAMPLE ID	TEST FIX PLANCHET	Uranium		
Preparation batch 2857-	138				
BOTDP4	N901042-01	7081-001	952		
BLK (QC ID=30018)	N901042-03	7081-003	U		
LCS (QC ID=30017)	N901042-02	7081-002	ok		
Duplicate (N901042-01)	N901042-04	7081-004	ok		

METHOD PERFORMANCE

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW TEST	SUF- FIX	MDA ug/L	ALIQ L	PREP FAC		YIELD			FWHM keV			PREPARED	ANAL- YZED	DETECTOR
Preparation batch 2857-	138 2 <i>o</i> pr	ep er	ror 9.0	% R	eference	Lab	Noteboo	ok #28!	57 pg	g. 138						
BOTDP4	N901042-01		_	0.65	0.0200								22	02/04/99	02/04	KPA-001
BLK (QC ID=30018)	N901042-03			0.006	0.0200									02/04/99	02/04	KPA-001
LCS (QC ID=30017)	N901042-02			0.065	0.0200									02/04/99	02/04	KPA-001
Duplicate (N901042-01) (QC ID=30019)	N901042-04			0.65	0.0200								22	02/04/99	02/04	KPA-001
Nominal values and limit	s from metho	od		0.10	0.0200	- 1"						-	180			

	PROCEDURES	REFERENCE	UKPA
l		EP-040	Environmental Water Dissolution, rev 1
		EP-044	Preparation of Total Uranium by Kinetic
			Phosphorimetry, rev 1
		EP-928	Total Uranium by Kinetic Phosphorimetry, rev 0
Ì			

AVERAGES ± 2 SD MDA 0.34 ± 0.71

FOR 4 SAMPLES YIELD ± ______ ±

METHOD SUMMARIES

Page 2

SUMMARY DATA SECTION

Page 12

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-CMS

Version 3.06

Report date 02/16/99

SDG 7081
Contact L.A. Johnson

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>TRB-SBB-207925</u>
Case no <u>SDG-H0333</u>

SAMPLE SUMMARY

The Sample and QC Summary Reports show all samples, including QC samples, reported in one Sample Delivery Group (SDG).

The Sample Summary Report fully identifies client samples and gives the corresponding lab sample identification. The QC Summary Report shows at the sample level how the lab organized the samples into batches and generated QC samples. The Preparation Batch and Method Summary Reports show this at the analysis level.

The following notes apply to these reports:

- * LAB SAMPLE ID is the lab's primary identification for a sample.
- * DEPARTMENT SAMPLE ID is an alternate lab id, for example one assigned by a radiochemistry department in a lab.
- * CLIENT SAMPLE ID is the client's primary identification for a sample. It includes any sample preparation done by the client that is necessary to identify the sample.
- * QC BATCH is a lab assigned code that groups samples to be processed and QCed together. These samples should have similar matrices.
 - QC BATCH is not necessarily the same as SDG, which reflects samples received and reported together.
- * All Lab Control Samples, Method Blanks, Duplicates and Matrix Spikes are shown that QC any of the samples. Due to possible reanalyses, not all results for all these QC samples may be relevant to the SDG. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

REPORT GUIDES

Page 1
SUMMARY DATA SECTION

Page 13

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06

Report date 02/16/99

SDG 7081
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches in one Sample Delivery Group (SDG) with information necessary to check the completeness and consistency of the SDG.

The following notes apply to this report:

- * The preparation batches are shown in the same order as the Method Summary Reports are printed.
- * Only analyses of planchets relevant to the SDG are included.
- * Each preparation batch should have at least one Method Blank and LCS in it to validate client sample results.
- * The QUALIFIERS shown are all qualifiers other than U, J, B, L and H that occur on any analysis in the preparation batch. The Method Summary Report has these qualifiers on a per sample basis.

These qualifiers should be reviewed as follows:

- X Some data has been manually entered or modified. Transcription errors are possible.
- P One or more results are 'preliminary'. The data is not ready for final reporting.
- 2 There were two or more results for one analyte on one planchet imported at one time. The results in DVD may not be the same as on the raw data sheets.

Other lab defined qualifiers may occur. In general, these should be addressed in the SDG narrative.

REPORT GUIDES

Page 2

SUMMARY DATA SECTION

Page 14

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 02/16/99

SDG 7081
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

WORK SUMMARY

The Work Summary Report shows all samples, including QC samples, and all relevant analyses in one Sample Delivery Group (SDG). This report is often useful as supporting documentation for an invoice.

The following notes apply to this report:

- * TEST is a code for the method used to measure associated analytes. Results and related information for each analyte are on the Data Sheet Report. In special cases, a test code used in the summary data section is not the same as in associated raw data. In this case, both codes are shown on the Work Summary.
- * SUFFIX is the lab's code to distinguish multiple analyses (recounts, reworks, reanalyses) of a fraction of the sample. The suffix indicates which result is being reported. An empty suffix normally identifies the first attempt to analyze the sample.
- * The LAB SAMPLE ID, TEST and SUFFIX uniquely identify all supporting data for a result. The Method Summary Report for each TEST has method performance data, such as yield, for each lab sample id and suffix and procedures used in the method.
- * PLANCHET is an alternate lab identifier for work done for one test. It, combined with the TEST and SUFFIX, may be the best link to raw data.
- * For QC samples, only analyses that directly QC some regular sample are shown. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.
- * The SAS (Special Analytical Services) Number is a client or lab assigned code that reflects special processing for samples, such as rapid turn around. Counts of tests done are lists by SAS number since it is likely to affect prices.

REPORT GUIDES

Page 3
SUMMARY DATA SECTION

Page 15

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>02/16/99</u>

SDG 7081
Contact L.A. Johnson

REPORT GUIDE

Client Hanford

Contract TRB-SBB-207925

Case no SDG-H0333

DATA SHEET

The Data Sheet Report shows all results and primary supporting information for one client sample or Method Blank. This report corresponds to both the CLP Inorganics and Organics Data Sheet.

The following notes apply to this report:

- * TEST is a code for the method used to measure an analyte. If the TEST is empty, no data is available; the analyte was not analyzed for.
- * The LAB SAMPLE ID and TEST uniquely identify work within the Summary Data Section of a Data Package. The Work Summary and Method Summary Reports further identify raw data that underlies this work.

The Method Summary Report for each TEST has method performance data, such as yield, for each Lab Sample ID and a list of procedures used in the method.

- * ERRORs can be labeled TOTAL or COUNT. TOTAL implies a preparation (non-counting method) error has been added, as square root of sum of squares, to the counting error denoted by COUNT. The preparation errors, which may vary by preparation batch, are shown on the Method Summary Report.
- * A RESULT can be 'N.R.' (Not Reported). This means the lab did this work but chooses not to report it now, possibly because it was reported at another time.
- * When reporting a Method Blank, a RESULT can be 'N.A.' (Not Applicable). This means there is no reported client sample work in the same preparation batch as the Blank's result. This is likely to occur when the Method Blank is associated with reanalyses of selected work for a few samples in the SDG.

The following qualifiers are defined by the DVD system:

U The RESULT is less than the MDA (Minimum Detectable Activity).

REPORT GUIDES

Page 4
SUMMARY DATA SECTION

Page 16

Lab id <u>TMANC</u> Protocol <u>Hanford</u>

Version Ver 1.0
Form DVD-RG

Version 3.06

Report date 02/16/99

SDG 7081
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

DATA SHEET

If the MDA is blank, the ERROR is used as the limit.

- $\ensuremath{\mathtt{J}}$ The RESULT is less than the RDL (Required Detection Limit) and no U qualifier is assigned.
- B A Method Blank associated with this sample had a result without a U flag and, after correcting for possibly different aliquots, that result is greater than or equal to the MDA for this sample.

Normally, B is not assigned if U is. When method blank subtraction is shown on this report, B flags are assigned based on the unsubtracted values while U's are assigned based on the subtracted ones. Both flags can be assigned in this case.

For each sample result, all Method Blank results in the same preparation batch are compared. The Method Summary Report documents this and other QC relationships.

- L Some Lab Control Sample that QC's this sample had a low recovery. The lab can disable assignment of this qualifier.
- H Similar to 'L' except the recovery was high.
- P The RESULT is 'preliminary'.
- $\ensuremath{\mathtt{X}}$ Some data necessary to compute the RESULT, ERROR or MDA was manually entered or modified.
- 2 There were two or more results available for this analyte. The reported result may not be the same as in the raw data.

Other qualifiers are lab defined. Definitions should be in the SDG narrative.

The following values are underlined to indicate possible problems:

* An MDA is underlined if it is bigger than its RDL.

REPORT GUIDES

Page 5
SUMMARY DATA SECTION

Page 17

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>02/16/99</u>

SAMPLE DELIVERY GROUP H0333

SDG 7081
Contact L.A. Johnson

GUIDE, cont.

Client	<u>Hanford</u>
Contract	TRB-SBB-207925
Case no	SDG-H0333

DATA SHEET

- * An ERROR is underlined if the 1.645 sigma counting error is bigger than both the MDA and the RESULT, implying that the MDA may not be a good estimate of the 'real' minimum detectable activity.
- * A negative RESULT is underlined if it is less than the negative of its 2 sigma counting ERROR.
- * When reporting a Method Blank, a RESULT is underlined if greater than its MDA. If the MDA is blank, the 2 sigma counting error is used in the comparison.

REPORT GUIDES

Page 6

SUMMARY DATA SECTION

Page 18

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 02/16/99

SDG 7081
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

LAB CONTROL SAMPLE

The Lab Control Sample Report shows all results, recoveries and primary supporting information for one Lab Control Sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. Refer to its Report Guide for details.
- * An amount ADDED is the lab's value for the actual amount spiked into this sample with its ERROR an estimate of the error of this amount.

An amount added is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - 1. The error of RESULT, including that introduced by rounding the result prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits for the recovery.
- * The recovery is underlined if it is outside either of these ranges.

REPORT GUIDES
Page 7
SUMMARY DATA SECTION

Page 19

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 02/16/99

SDG 7081
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

DUPLICATE

The Duplicate Report shows all results, differences and primary supporting information for one Duplicate and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Duplicate and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Duplicate has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* The RPD (Relative Percent Difference) is the absolute value of the difference of the RESULTs divided by their average expressed as a percent.

If both RESULTs are less than their MDAs, no RPD is computed and a '-' is printed.

For an analyte, if the lab did work for both samples but has data for only one, the MDA from the sample with data is used as the other's result in the RPD.

* The first, computed limit is the sum, as square root of sum of squares, of the errors of the results divided by the average result as a percent, hence the relative error of the difference rather than the error of the relative difference. The errors include those introduced by rounding the RESULTs prior to printing.

If this limit is labeled TOT, it includes the preparation error in the RESULTs. If labeled CNT, it does not.

This value reported for this limit is at most 999.

- * The second limit for the RPD is the larger of:
 - 1. A fixed percentage specified in the protocol.

Protocol <u>Hanford</u> Version <u>Ver 1.0</u>

> Form <u>DVD-RG</u> Version 3.06

Lab id TMANC

Report date 02/16/99

REPORT GUIDES
Page 8
SUMMARY DATA SECTION
Page 20

SAMPLE DELIVERY GROUP H0333

SDG 7081
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

DUPLICATE

- 2. A protocol factor (typically 2) times the average MDA as a percent of the average result. This limit applies when the results are close to the MDAs.
- * The RPD is underlined if it is greater than either limit.
- * If specified by the lab, the second limit column is replaced by the Difference Error Ratio (DER), which is the absolute value of the difference of the results divided by the quadratic sum of their one sigma errors, the same errors as used in the first limit.

Except for differences due to rounding, the DER is the same as the RPD divided by the first RPD limit with the limit scaled to 1 sigma.

* The DER is underlined if it is greater than the sigma factor, typically 2 or 3, shown in the header for the first RPD limit.

REPORT GUIDES

Page 9

SUMMARY DATA SECTION

Page 21

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 02/16/99

SAMPLE DELIVERY GROUP H0333

SDG 7081
Contact L.A. Johnson

REPORT GUIDE

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

MATRIX SPIKE

The Matrix Spike Report shows all results, recoveries and primary supporting information for one Matrix Spike and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Spiked and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Spike has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* An amount ADDED is the lab's value for the actual amount spiked into the Spike sample with its ERROR an estimate of the error of this amount.

An amount is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is the Spike RESULT minus the Original RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - 1. The errors of the two RESULTs, including those introduced by rounding them prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 02/16/99

SDG 7081
Contact L.A. Johnson

GUIDE, cont.

Client Hanford
Contract TRB-SBB-207925
Case no SDG-H0333

MATRIX SPIKE

for the recovery.

These limits are left blank if the Original RESULT is more than a protocol defined factor (typically 4) times ADDED. This is a way of accounting for that when the spike is small compared to the amount in the original sample, the recovery is unreliable.

* The recovery is underlined (out of spec) if it is outside either of these ranges.

REPORT GUIDES
Page 11
SUMMARY DATA SECTION

Page 23

SDG	7081		
Contact	L.A.	Johnson	

REPORT GUIDE

Client	Hanford
Contract	TRB-SBB-207925
Case no	SDG-H0333

METHOD SUMMARY

The Method Summary Report has two tables. One shows up to five results measured using one method. The other has performance data for the method. There is one report for each TEST, as used on the Data Sheet Report.

The following notes apply to this report:

* Each table is subdivided into sections, one for each preparation batch. A preparation batch is a group of aliquots prepared at roughly the same time in one work area of the lab using the same method.

There should be Lab Control Sample and Method Blank results in each preparation batch since this close correspondence makes the QC meaningful. Depending on lab policy, Duplicates need not occur in each batch since they QC sample dependencies such as matrix effects.

* The RAW TEST column shows the test code used in the raw data to identify a particular analysis if it is different than the test code in the header of the report. This occurs in special cases due to method specific details about how the lab labels work.

The Lab Sample or Planchet ID combined with the (Raw) Test Code and Suffix uniquely identify the raw data for each analysis.

* If a result is less than both its MDA and RDL, it is replaced by just 'U' on this report. If it is greater than or equal to the RDL but less than the MDA, the result is shown with a 'U' flag.

The J and X flags are as on the data sheet.

- * Non-U results for Method Blanks are underlined to indicate possible contamination of other samples in the preparation batch. The Method Blank Report has supporting data.
- * Lab Control Sample and Matrix Spike results are shown as: ok, No data, LOW or HIGH, with the last two underlined. 'No data'

REPORT GUIDES
Page 12
SUMMARY DATA SECTION
Page 24

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>02/16/99</u>

SDG	7081	
Contact	<u>L.A.</u>	Johnson

GUIDE, cont.

Client	Hanford
Contract	TRB-SBB-207925
Case no	<u>SDG-H0333</u>

METHOD SUMMARY

means no amount ADDED was specified. 'LOW' and 'HIGH' correspond to when the recovery is underlined on the Lab Control Sample or Matrix Spike Report. See these reports for supporting data.

- * Duplicate sample results are shown as: ok, No data, or OUT, with the last two underlined. 'No data' means there was no original sample data found for this duplicate. 'OUT' corresponds to when the RPD is underlined on the Duplicate Report. See this report for supporting data.
- * If the MDA column is labeled 'MAX MDA', there was more than one result measured by the reported method and the MDA shown is the largest MDA. If not all these results have the same RDL, the MAX MDA reflects only those results with RDL equal to the smallest one.

MDAs are underlined if greater than the printed RDL.

- * Aliquots are underlined if less than the nominal value specified for the method.
- * Prepareation factors are underlined if greater than the nominal value specified for the method.
- * Dilution factors are underlined if greater than the nominal value specified for the method.
- * Residues are underlined if outside the range specified for the method. Residues are not printed if yields are.
- * Yields, which may be gravimetric, radiometric or some type of recovery depending on the method, are underlined if outside the range specified for the method.
- * Efficiencies are underlined if outside the range specified for the method. Efficiencies are detector and geometry dependent so this test is only approximate.

REPORT GUIDES

Page 13

SUMMARY DATA SECTION

Page 25

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 02/16/99

SAMPLE DELIVERY GROUP H0333

SDG 7081
Contact L.A. Johnson

GUIDE, cont.

Client	Hanford
Contract	TRB-SBB-207925
Case no	SDG-H0333

METHOD SUMMARY

- * Count times are underlined if less than the nominal value specified for the method.
- * Resolutions (as FWHM; Full Width at Half Max) are underlined if greater than the method specified limit.
- * Tracer drifts are underlined if their absolute values are greater than the method specified limit. Tracer drifts are not printed if percent moistures are.
- * Days Held are underlined if greater than the holding time specified in the protocol.
- * Analysis dates are underlined if before their planchet's preparation date or, if a limit is specified, too far after it.

For some methods, ratios as percentages and error estimates for them are computed for pairs of results. A ratio column header like '1+3' means the ratio of the first result column and the third result column.

Ratios are not computed for Lab Control Sample, Method Blank or Matrix Spike results since their matrices are not necessarily similar to client samples'.

The error estimate for a ratio of results from one planchet reflects only counting errors since other errors should be correlated. For a ratio involving different planchets, if QC limits are computed based on total errors, the error for the ratio allows for the preparation errors for the planchets.

The ratio is underlined (out of spec) if the absolute value of its difference from the nominal value is greater than its error estimate. If no nominal value is specified, this test is not done.

For Gross Alpha or Gross Beta results, there may be a column showing the sum of other Alpha or Beta emitters. This sum includes all relevant

REPORT GUIDES
Page 14
SUMMARY DATA SECTION
Page 26

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-RG</u>

Version <u>3.06</u>

Report date <u>02/16/99</u>

SDG	7081
Contact	L.A. Johnson

GUIDE, cont.

Client	Hanford
	TRB-SBB-207925
Case no	SDG-H0333

METHOD SUMMARY

results in the DVD database, whether reported or not. Results in the sum are weighted by a particles/decay value specified by the lab for each relevant analyte. Results less than their MDA are not included. No sums are computed for Lab Control, Method Blank or Matrix Spike samples since their various planchets may not be physically related.

If a ratio of total isotopic to Gross Alpha or Beta is shown, the error for the ratio reflects both the error in the Gross result and the sum, as square root of sum of squares, of the errors in the isotopic results.

For total elemental uranium or thorium results, there may be a column showing the total weight computed from associated isotopic results. Ignoring results less than their MDAs, this is a weighted sum of the isotopic results. The weights depend on the molecular weight and half-life of each isotope so as to convert activities (decays) to weight (atoms).

If a ratio of total computed to measured elemental uranium or thorium is shown, the error for the ratio reflects the errors in all the measurements.

REPORT GUIDES
Page 15
SUMMARY DATA SECTION
Page 27

Lab id TMANC

Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 02/16/9

PNNL CHA					CHAIN O	F CUSTODY	SAMPLE ANAL	YSIS REQUEST	c.o.	C99-0	15-1	
						<u></u>				Page 1 of	1	
						ct/Requester KESSNER		Telephone No. (509) 372-9538	MSIN	FAX		
SAF No.	<u> </u>				Sampli	ing Origin		Purchase Order/Charg	e Code			
C99-015 Project Title					Logbo	NFORD SITE ok No.				. , •,		
200-UPLIAM C	W.JANUAR	Y_1999				d of Shipment						
Shipped To (Lab) TMA/RECRA					GOV	VT. VEHICLE	VEHICLE 92351			1952148	; <u>0</u>	
Protocol CERCLA						Curnaround Days		Offsite Property No.				
POSSIBLE SAMI	LE HAZARI	OS/RE	MARKS				SPECIAL INSTRUCTIONS FAX copies of TMA & QES log-	6 Hold Time in to DL Stewart (372-1704) & JM Duncan	Total Activity Exe (372-9052).	mption: Yes 🗵	No L	
Sample No.	Lab ID	•	Date	Time	No/Type Contain	ner	S	ample Analysis	Preserv	ative		
BOTDP4		W	1-1349	0836	3x40-mL aGs*	VOA - 8240A (TCL)	V			HCI or H25 pH <2 Coo		
BOTDP4	-	W	1	1	1x20-mL P	Activity Scan				None)1 4C	
B0TDP4	<u> </u>	W	 	1-1-	1x1000-mL G/P	x1000-mL G/P Technetium-99			HCl to pH	<2		
B0TDP4		W	J		1x125-mL G/P	Total Uranium			HNO3 to p)H <2		
		<u> </u>	ļ	<u> </u>								
	<u> </u>	 -	<u> </u>	<u> </u>								
	 	 -										
	 	├	<u> </u>	 								
	 	 -	<u> </u>	 -	 							
	 	 			ļ	- - 						
			7		 				 , _ , _ , , 			
Relinquished By	Priylt	۲	Sign	• • •	Date/Time	Received By	Print Sign	Date/Time		Matrix *		
Relinquished By Print Sign Date/ Relinquished By Date/			3 1999	tack E,	coress	1-63-99	S = Soit		6 11 1			
Frd Ex 1-14-99 1						Received By Received By	o JR. Borso	1-13-99 Date/Time 1+14-91 11538 Date/Time	S = Soil SE = Sediment SO = Solid SL = Sludee W = Water O = Oil	DS = Drui DL = Drui T = Tiss WI = Win L = Lion V = Vee	m Liaui sue se sid	
Relinquished By Date					Date/Time	Bassing De			A = Air	X = Othe		
					D/IIC/ Dime	Received By		Date/Time				

Disposed By

Date/Time

FINAL SAMPLE DISPOSITION

Disposal Method (e.g., Return to customer, per lab procedure, used in process)